



VACCINES REQUIRED FOR SCHOOL ATTENDANCE, GRADES K-12

July 1, 2011 – June 30, 2012

Documentation of all vaccines received must include **Month, Day & Year.**

| VACCINE | Kindergarten | 1 st -3 rd Grade | 4 th -5 th Grade | 6 th Grade | 7 th -10 th Grade | 11 th -12 th Grade |
|---|--|--|--|-----------------------|---|--|
| HEPATITIS B (Hep B) <ul style="list-style-type: none"> Dose 2 ≥4 weeks after dose 1 Dose 3 ≥8 weeks after dose 2 Dose 3 ≥ 16 weeks after dose 1 Dose 3 ≥ 6 months of age | Required: 3 doses Acceptable: 2 doses of an adolescent vaccine (Recombivax HB®), <u>IF</u> given between ages 11 and 15 AND doses separated by ≥4 months. | | | | | |
| DIPHTHERIA, TETANUS AND PERTUSSIS (DTaP/DT/Td/Tdap) <ul style="list-style-type: none"> DTaP: for children through age 6. Td: for children on or after the 7th birthday. Tdap: for children on or after the 11th birthday. | Required: 5 doses, <u>IF</u> child received dose 5 on or after the 4 th birthday. Acceptable: 4 doses DTaP/DT <u>IF</u> child got dose 4 on or after the 4 th birthday. | Required: 5 doses, <u>IF</u> child got dose 5 on or after the 4 th birthday. Required: 1 dose Tdap for 6th-10th grade <u>IF</u> student is ≥11 years old. Acceptable: <ul style="list-style-type: none"> 4 doses DTaP/DT <u>IF</u> child got dose 4 on or after the 4th birthday. 3 doses diphtheria and tetanus containing vaccines may complete the series for children ≥7 years of age. | | | | |
| POLIO (IPV or OPV) <ul style="list-style-type: none"> Not required for students 18 years and older. | Required: 4 doses, <u>IF</u> child got dose 4 on or after the 4 th birthday AND dose 3 and 4 separated by ≥6 months. Acceptable: 3 doses <u>IF</u> child got last dose on or after the 4 th birthday. | Required: 4 doses <u>IF</u> child got all doses before the 4 th birthday. Acceptable: 3 doses <u>IF</u> child got last dose on or after the 4 th birthday. | | | | |
| MMR (MMR or MMRV) | Required: 2 doses <u>IF</u> child got dose 1 on or after the 1 st birthday AND dose 2 at least ≥28 days later. (4-day grace <u>DOES</u> apply between doses of the same live vaccine such as MMR/MMR or MMRV/MMRV). | | | | | |
| VARICELLA (VAR or MMRV) <ul style="list-style-type: none"> Varicella: must get the same day as MMR <u>OR</u> ≥ 28 days apart. (4-day grace <u>DOES NOT</u> apply). | Required: 2 doses Child must get dose 1 on or after the 1 st birthday AND dose 2 given ≥3 months later. Acceptable: <ul style="list-style-type: none"> Health care provider verification of disease. ≥28 days between doses. | Required: 1 dose Child must get dose 1 on or after the 1 st birthday. Acceptable: Parent-reported history of disease. | Recommended, but not required. | | | |

- See the **Minimum Age and Interval Table** on page 2 for recommended minimum age and spacing information.
- **Acceptable for all vaccines:** blood test showing proof of immunity – must have health care provider’s signature **AND** attached lab report(s).
- A vaccine series never needs to be restarted if the time between doses is longer than the recommended interval.
- **Valid:** vaccine doses given up to 4 days before the minimum age or interval (4 day grace period).
- The 4 day grace period **DOES** apply between dose 1 and dose 2 of the same live vaccines, such as between MMR and MMR, **BUT NOT** between MMR and MMRV.
- The 4 day grace period **DOES NOT** apply between dose 1 and dose 2 of different live vaccines, such as between MMR and Varicella or between MMR and live flu vaccine.

If you have a disability and need this document in another format, please call 1-800-322-2588 (711 – TTY relay).

Minimum Age & Interval for Valid Vaccine Doses

| Vaccine | Dose # | Minimum Age | Minimum Interval Between Doses | Notes |
|--|--------|--|--------------------------------|---|
| Hepatitis B HepB | Dose 1 | Birth | 4 weeks between Dose 1 & 2 | <ul style="list-style-type: none"> ▪ Minimum interval for Recombivax HB®: ≥4 months. ▪ Complete series within 9 months of starting school. ▪ DO NOT complete series in less than 4 months. |
| | Dose 2 | 4 weeks | 8 weeks between Dose 2 & 3 | |
| | Dose 3 | 24 weeks | 16 weeks between Dose 1 & 3 | |
| Diphtheria, Tetanus, and Pertussis DTaP/DT | Dose 1 | 6 weeks | 4 weeks between Dose 1 & 2 | <ul style="list-style-type: none"> ▪ Typical vaccine schedule: 2, 4, 6, and 15-18 months of age. If child got dose 4 before the 4th birthday, child must get dose 5 at 4-6 years of age. Dose 5 not required if child got dose 4 on or after the 4th birthday. ▪ Recommended 6 months between dose 3 and dose 4, but ≥4 months is acceptable. |
| | Dose 2 | 10 weeks | 4 weeks between Dose 2 & 3 | |
| | Dose 3 | 14 weeks | 6 months between Dose 3 & 4 | |
| | Dose 4 | 12 months | 6 months between Dose 4 & 5 | |
| | Dose 5 | 4 years | – | |
| Tetanus, Diphtheria, and Pertussis Tdap | Dose 1 | 10 years (minimum age for Tdap depends on vaccine brand) | – | <ul style="list-style-type: none"> ▪ Boostrix®: licensed for 10 year olds. ▪ Adacel®: licensed for 11 year olds. |
| Tetanus and Diphtheria Td | Dose 1 | 7 years | 5 years | |
| Polio IPV or OPV | Dose 1 | 6 weeks | 4 weeks between Dose 1 & 2 | |
| | Dose 2 | 10 weeks | 4 weeks between Dose 2 & 3 | |
| | Dose 3 | 14 weeks | 6 months between Dose 3 & 4 | |
| | Dose 4 | 4 years | – | |
| Measles, Mumps, and Rubella MMR | Dose 1 | 12 months | 4 weeks between Dose 1 & 2 | <ul style="list-style-type: none"> ▪ MMRV (MMR + varicella) may be used in place of separate MMR and varicella vaccines. ▪ Child must get MMR, Varicella, and MMRV doses on the same day or at least ≥28 days apart. ▪ 4 day grace period can be used between 2 doses of MMR as long as child does not get varicella or MMRV during that time. |
| | Dose 2 | 13 months | – | |
| Varicella (chickenpox) VAR | Dose 1 | 12 months | 3 months between Dose 1 & 2 | <ul style="list-style-type: none"> ▪ Child must get MMR and varicella doses on the same day or at least ≥28 days apart. ▪ Recommended: 3 months between varicella doses for children on or before the 13th birthday, but ≥28 days is acceptable. |
| | Dose 2 | 15 months | – | |

Find information on other recommended vaccines not required for school entry on the Recommended Immunization Schedules: <http://www.immunize.org/cdc/schedules/>

If you have a disability and need this document in another format, please call 1-800-322-2588 (711 – TTY relay).